

**To:** Pane, Mark[Pane.Mark@epa.gov]  
**From:** Daly, Eric  
**Sent:** Tue 5/17/2016 2:01:24 AM  
**Subject:** Niagara Falls Contractor Selection Form.  
[TO IGCE Selection Niagara Falls Boulevard.xlsx](#)  
[Niagara Falls Boulevard Site-ER Proposal.pdf](#)  
[FON - Niagara Falls Blvd GES Response.docx](#)

Good Evening Mark:

Attached is my draft contractor selection sheet. Please tweak as you deem necessary and pass on. Thanks for all your help

**From:** Pane, Mark  
**Sent:** Monday, May 16, 2016 4:00 PM  
**To:** Daly, Eric <Daly.Eric@epa.gov>  
**Subject:** RE: Is this it?

Yes. Keep in mind that in this example, ER did not supply any information in response to the FOA. In the case of the Niagra Falls Blvd Site, they did. Accordingly, when you complete the selection form, you have to reference the ER response, similar to the way the FOA response for Guardian is written in the Selection form for Holy Trinity.

Mark

**From:** Daly, Eric  
**Sent:** Monday, May 16, 2016 3:49 PM  
**To:** Pane, Mark <[Pane.Mark@epa.gov](mailto:Pane.Mark@epa.gov)>  
**Subject:** Is this it?

Regards,

Eric

"We must, indeed, all hang together, or assuredly we shall all hang separately", Benjamin Franklin

Eric M. Daly

On-Scene Coordinator/Radiological Response Specialist

US Environmental Protection Agency- Region II

ERRD/RPB/PPS

2890 Woodbridge Avenue

Edison, NJ 08837

[daly.eric@epa.gov](mailto:daly.eric@epa.gov)

732-321-4350